

## Balsam Fir Bibliography

- Amman, G. D. and R. L. Talierico. 1967. Symptoms of infestation by balsam woolly aphid displayed by Fraser fir and bracted balsam fir. Res. Note SE-85. USDA Forest Service SE For. Exper. Station. 7 p.
- Anderson, B. 1994. The Spruce-Fir Forest. Outdoor Traveler, Autumn. Pages 44-57.
- Anonymous. 1989. Insects and Diseases of Trees in the South. USDA For. Serv. Protection Report R8-PR16.
- Bakuzis, E.V. and H. L. Hansen. 1965. Balsam Fir: a monographic review. Univ. Minnesota Press, Minneapolis. 445 p.
- Balch, R. E. 1952. Studies of the balsam woolly aphid, *Adelges piceae*, and its effects on balsam fir, *Abies balsamea*. Can. Dept. of Agric Publication 867.
- Brown, J. H. 1983. A "new" fir for Ohio Christmas tree plantings? Ohio Report 68(4):51-54.
- Brown, J. H. ?. Ohio Christmas tree producers manual. Ohio Agricultural Research and Development Center. Research Bulletin 670. [Http://ohioline.ag.ohio-state.edu/b670/b670\\_7.html](http://ohioline.ag.ohio-state.edu/b670/b670_7.html).
- Brown, J. H. 1999. West Virginia seed sources of Balsam Fir: between- and within-stand variation in characteristics of half-sib families and individual progeny. Ohio Agricultural Research and Development Center. Research Bulletin 1191.
- Brown, J. H. ?. Nitrogen fertilization of a Canaan Valley seed source of Balsam Fir. Ohio Agricultural Research and Development Center. Special Circular 159. [Http://www.ag.ohio-state.edu/~ohioline/sc159/sc159\\_1.html](http://www.ag.ohio-state.edu/~ohioline/sc159/sc159_1.html).
- Brown, J. H. 2000. Survival and growth of trees of a Canaan Valley, West Virginia seed source in relation to varying soil/site conditions. Ohio Agricultural Research and Development Center. Special Circular 175. 28 pp.
- Bryant, D. G. 1974. A review of the taxonomy, biology, and importance of the adelgid pests of true firs. Can. Environ., Forest Service, NFLD For. Res. Centre No. N-X-111. 50 pp.
- Carvell, K. L. 1999. Canaan Fir: West Virginia's popular Christmas tree. Wonderful West Virginia, December. Pages 10-13.
- Cogbill, C. V. and P. S. White. 1991. The latitude-elevation relationship for spruce-fir forests at treeline along the Appalachian mountain chain. Vegetatio 94:153-175.

- Purtich, G. S. 1975. The toxic effects of fatty acids and their salts on the balsam woolly aphid, *Adelges piceae*. Can. J. For. Res. 5:515-522.
- Purtich, G. S., and J. A. Petty. 1971. Effect of balsam woolly aphid, *Adelges piceae* (Ratz.), infestation on the xylem of *Abies grandis* (Doug.) Lindl. J. Exper. Bot. 22:946-952.
- Robinson, J. F., and E. Thor. 1969. Natural variation in *Abies* of the southern Appalachians. Forest Science 15:238-245.
- Schooley, H. O. 1976. Recovery of young balsam fir trees damaged by the balsam woolly aphid. For. Chron. 52:143-144.
- Shields, A. R., 1962. The isolated spruce and spruce-fir forest of Southwest Virginia: a biotic study. PhD dissertation. Univ. of Tenn, Knoxville.
- Stephenson, S. L., and H. S. Adams. 1986. An ecological study of balsam fir communities in West Virginia. Bulletin of the Torrey Botanical Club 113(4):372-381.

West Virginia Nongame Wildlife and Natural Heritage Program (WVNHP). 2000. Rare, threatened and endangered plant species in West Virginia. Nongame Wildlife and Natural Heritage Program, Wildlife Section, Division of Natural Resources, Elkins. 5 pp.

White, P. S., M. D. MacKenzie, and R. T. Busing. 1985. Natural disturbance and gap phase dynamics in southern appalachian spruce-fir forests. Can. J. For. Research. 15:233-240.

White, P. S. 1984. The southern appalachian spruce-fir ecosystem, its biology and threats. USDI, National Park Service, southeast regional office, Research/Resource management report. SER-71, Atlanta.

- Brown, N. R., and R. C. Clark. 1959. Studies of predators of the Balsam Wooly Aphid, *Adelges piceae* (Ratz.) (Homoptera: Adelgidae) VI. *Aphidecta obliterate* (L.) (Coleoptera: Coccinellidae), and introduced predator in eastern Canada. The Canadian Entomologist September:597-599.
- Brown, W. R., and R. C. Clark. 1960. Studies of predators of the balsam woolly aphid, *Adelges picea* (Ratz.) (Homoptera: Adelgidae) VIII. Syrphidae (Diptera). The Canadian Entomologist 92:801-811.
- Brown, W. R., and R. C. Clark. 1962. Studies of predators of the Balsam Wooly Aphid, *Adelges piceae* (Ratz.) (Homoptera: Adelgidae) X. Field identification of *Laricobius erichsonii* Rosen. (Coleoptera: Derodontidae). The Canadian Entomologist 94:191-193.
- Bryant, D. G. 1963. The means of dispersal and the recommended quarantine practices of the balsam woolly aphid in Newfoundland. Phytoprotection. 44(1):42-46.
- Bryant, D. G. 1972. The measurement of population density of the balsam woolly aphid, *Adelges piceae* (Ratz.). (Homoptera: Phylloxeridae) a highly aggregate species. Ph.D. dissertation, Yale Univ. 169 pp.
- Bryant, D. G. 1974. A review of the taxonomy, biology, and importance of the adelgid pests of true firs. Can. Environ., Forest Service, NFLD For. Res. Centre No. N-X-111. 50 p.
- Carrow, J. R. and R. E. Betts. 1973. Effects of different foliar-applied nitrogen fertilizers on balsam woolly aphid. Can. J. For. Res. 3:122-139.
- Christmas tree notes, Common Fraser Fir insect Pests: The Balsam Wooly Adelgid (Aphid). North Carolina Cooperative Extension Service. CTN - 020. 4 pp.
- Ciesla, W. M., H. L. Lambert, and R. T. Franklin. 1965. Status of the balsam woolly aphid in North Carolina and Tennessee 1964. U.S. Forest Service Report 65-1-1. 11 p.
- Clark, C. M., T. R. Wentworth, and D. M. O'Malley. 2000. Genetic discontinuity revealed by chloroplast microsatellites in eastern North America *Abies* (Pinaceae). Amer J. Bot. 87:774-782.
- Clarkson, R. B., and D. E. Fairbrothers. 1970. A serological and electrophoretic investigation of eastern North American *Abies* (Pianceae). Taxon 19:720-727.
- Cole, W. E. 1967. Sampling biologically in forest insect populations. Ann. Ent. Soc. Am. 60:860-861.

- Johnson, W. T. and H. H. Lyon. 1988. Insects That Feed on Trees and Shrubs. Cornell Univ. Press. Ithaca, N.Y. 556 pp.
- Mitchell, R. G., and K. H. Wright. 1967. Foreign predator introductions for control of the Balsam Wooly Aphid in the Pacific Northwest. Journal of Economic Entomology 60:140-147.
- Mitchell, R. G., G. D. Amman, and W. E. Waters. 1970. Balsam Wooly Aphid. United States Department of Agriculture Forest Service.
- Nagel, W. P. 1959. Status of the balsam woolly aphid in the southeast in 1958 with special references to the infestations on Mount Mitchell, North Carolina and adjacent lands. U.S.D.A. Forest Service, Southeast Forest Experiment Station Report 59-1.
- Page, G. 1975. The impact of balsam woolly aphid damage on balsam fir stands in Newfoundland. Can. J. For. Res. 5: 195-210.
- Purtich, G. S. 1973. Effect of water stress on photosynthesis, respiration and transpiration of four *Abies* species. Can. J. For. Res. 3:293-298.
- Purtich, G. S. 1975. The toxic effects of fatty acids and their salts on the balsam woolly aphid, *Adelges piceae*. Can. J. For. Res. 5:515-522.
- Purtich, G. S., and J. A. Petty. 1971. Effect of balsam woolly aphid, *Adelges piceae* (Ratz.), infestation on the xylem of *Abies grandis* (Doug.) Lindl. J. Exper. Bot. 22:946-952.
- Purtich, G. S., P. L. Nijan, and J. R. Carrow. 1980. Chemical control of balsam woolly aphid (*Homoptera:Adelgidae*) on seedlings of *Abies amabilis*. J. Entomol. Soc. Brit. Columbia 77:15-18.
- Rabenold, K.N., P.T. fauth, B.W. Goodner, J.A. Sadowski, and P.G. Parker. 1998. Response of Avian Communities to Disturbance by an Exotic Insect in Spruce-fir Forests of the Southern Appalachians. Cons. Bio. 12:177-189.
- Rauschenberger, J. L. and H. L. Lambert. 1969. Status of the balsam woolly aphid on the Southern Appalachians 1968. U.S.D.A. Forest Service Report No. 69-1-29.
- Rauschenberger, J. L. and H. L. Lambert. 1968. Status of the balsam woolly aphid on Mount Mitchell State Park. U.S.D.A. Forest Service Report No. 69-1-27.
- Schooley, H. O. 1976. Recovery of young balsam fir trees damaged by the balsam woolly aphid. For. Chron. 52:143-144.

## Dormant Oil Bibliography

- Baxendale, R. W., and W. T. Johnson. 1988. An evaluation of dormant oil phytotoxicity on six species of woody ornamentals. *Journal of Arboriculture* 14:102-105.
- Cranshaw, W. S., and B. Baxendale. Insect control: Horticultural oils.  
[Http://www.colostate.edu/depts/CoopExt/PUBS/INSECT/05569.html](http://www.colostate.edu/depts/CoopExt/PUBS/INSECT/05569.html)
- Davidson, N. A., J. E. Dibble, M. L. Flint, P. J. Marer, and A. Guye. 1991. Managing insects and mites with spray oils. Statewide Integrated Pest Management Project, University of California, Publication 3347. 46 pp.
- Hastings, F. L., P. J. Barry, and I. R. Ragenovich. 1979. Laboratory screening and field bioassays of insecticides for controlling the balsam woolly aphid (*Adelges piceae*) in Southern Appalachian fir (*Abies fraseri*). USDA Forest Service Res. Note SE-279. 3 pp.
- Hoffman, D. J., and W. C. Easton, Jr. 1981. Effects of industrial effluents, heavy metals, and organic solvents on mallard embryo development. *Toxicology Letters* 9:35-40.
- Hoffman, D. J., and P. H. Albers. 1984. Evaluation of potential embryotoxicity and teratogenicity of 42 herbicides, insecticides, and petroleum contaminants to mallard eggs. *Archives of Environmental Contamination and Toxicology* 13:15-27.
- Hooper, M. J., P. J. Detrich, C. P. Weisskopf, and B. W. Wilson. 1989. Organophosphorus insecticide exposure in hawks inhabiting orchards during winter dormant-spraying. *Bulletin of Environmental Contamination and Toxicology* 42:651-659.
- Mizell, R. F., III. Phytotoxicity of sunspray ultra-fine spray oil and safer insecticidal concentrate soap on selected ornamental plants in summer in north Florida and south Georgia. *Journal of Arboriculture* 17:208-210.
- Nielson, D. G. 1990. Evaluation of biorational pesticides for use in arboriculture. *Journal of Arboriculture* 16:82-88.
- Sims, S. M. 1994. Winter-safe cleanup during the dormant season. *Arbor Age Horticultural Spray Oils*, December. Pages 12-14.